Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(("6049764") or ("6035179")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 12:30
S2	4	(("6049765") or ("6035179")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 13:06
<b>S3</b>	2086	((sid or (silence adj descript\$3)) near2 frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:07
S4	138	((sid or (silence adj descript\$3)) near2 frame) and (comfort near2 (noise or sound))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:07
S5	11	((sid or (silence adj descript\$3)) near2 frame) and (comfort near2 (noise or sound)) and (silence with frame with (count or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/02/22 13:20
S6	3	((sid or (silence adj descript\$3)) near2 frame) and (comfort near2 (noise or sound)) and ((silence or sid) with frame with (count) with (send\$3 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/22 13:43
S7	0	((celp) near2 frame) and (comfort near2 (noise or sound)) and ((silence or sid) with frame with (count\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:43
S8	0	((celp) near2 frame) and (comfort near2 (noise or sound)) and ((silence or pause) with frame with (count\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:43

			<del></del>	·		
S9	3	((celp) near2 frame) and (comfort near2 (noise or sound)) and ((silence or pause) with frame with (count\$3 or length or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:44
S10	45	((celp) or (code adj excited adj linear adj predictive)) and (comfort near2 (noise or sound)) and ((silence or pause) with frame with (count\$3 or length or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:45
S11	3	((celp or (code adj excited adj linear adj predictive)) near3 (frame or packet)) and (comfort near2 (noise or sound)) and ((silence or pause) with frame with (count\$3 or length or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:45
S12	5	((celp or (code adj excited adj linear adj predictive)) with (frame or packet)) and (comfort near2 (noise or sound)) and ((silence or pause) with frame with (count\$3 or length or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:45
S13	19	((celp or (code adj excited adj linear adj predictive)) ) and (comfort near2 (noise or sound)) and ((silence or pause) with frame with (count\$3 or length or period)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:50
S14	43	(((sid or silence) near3 (frame or packet)) same (length or period or count) same header) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:52
S15	13	(((sid or silence) near3 (frame or packet)) with (length or period or count) with header) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:55
S16	2	(((sid or silence) near3 (frame or packet)) with length with (period or count) with header) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:56

	,		· · · · · · · · · · · · · · · · · · ·			
S17	0	(((sid or silence) near3 (frame)) with length with (period or count) with header) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/02/22 13:56
S18	13	(((sid or silence) near3 (frame)) same (length or period or count) same header) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:03
S19	0	(((sid or silence) near3 (frame)) with (counting) with (store or stored or storing)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:04
S20	5	(((sid or silence) near3 (frame)) with (count\$3) with (store or stored or storing)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:10
S21	2	(((sid or silence) near3 (frame)) same (start near3 pattern) same (end near3 pattern)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:41
S22	3	(((sid or silence) near3 (frame)) same (end near3 pattern)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:42
S23	0	(((sid) near3 (frame)) same (end near3 pattern)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:43
S24	0	(((sid) near3 (frame)) same (end\$3 near3 pattern)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:43

S25	45	(((sid) near3 (frame)) with (end\$3 )) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:43
S26	17	(((sid) near3 (frame)) near3 (end\$3 )) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:43
S27	12	(((sid) adj (frame)) near3 (end\$3 )) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:45
S28	0	(((sid) adj (frame)) with (parity or checksum)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:45
S29	1	(((sid) adj (frame)) same (parity or checksum)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:49
S30	1	(((sid) near2 (frame)) same (parity or checksum)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:49
S31	4	(((sid or silence) near2 (frame)) same (parity or checksum)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:21
S32	0	(gsm same (variable with (size or sized) with packet)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:22

S33	37	((variable with (size or sized) with packet)) and @ad<"20010615" and gsm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:22
S34	0	((variable with (size or sized) with packet)) and @ad<"20010615" and gsm and (encod\$3 with fixed with (size or sized) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:23
S35	4	((variable with (size or sized) with packet)) and @ad<"20010615" and gsm and sid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:27
S36	4	((fixed with audio with encod\$3 with (size or sized) with packet)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:28
S37	0	((fixed with audio with encod\$3 with (size or sized) with packet)) and @ad<"20010615" and sid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:28
S38	0	((fixed with audio with encod\$3 with (size or sized) with packet)) and @ad<"20010615" and gsm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:30
S39	0	((fixed with audio with compress\$3 with (size or sized) with packet)) and @ad<"20010615" and gsm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:30
S40	0	((fixed with audio with transcod\$3 with (size or sized) with packet)) and @ad<"20010615" and gsm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:33

541	0	((fixed with transcod\$3 with (size or sized) with packet)) and @ad<"20010615" and gsm	US-PGPUB; USPAT; USOCR; . EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:31
S42	0	((set with audio with transcod\$3 with (size or sized) with packet)) and @ad<"20010615" and gsm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:31
S43	0	((fixed with audio with transcod\$3 with (size or sized) with packet)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:33
S44	1	((fixed with audio with compres\$3 with (size or sized) with packet)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:34
S45	0	((fixed with (video adj difference) with encod\$2 with (size or sized) with packet)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:34
S46	0	((fixed with (video adj difference) with encod\$3 with (size or sized) with packet)) and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:34